

<u>Water Resources Program</u> Application for a Water Right Permit

For	Eco	ology	Usc
(D	ate	Stan	ip)

Section 1. APPLICANT		
Applicant/Business Name Bonneville Power Administration Att: Jon Malmberg DE BESEE	Phone No: 360-619-6325	Other No:
Address: 7500 NE 41st Street CONSTRUCTION SERVICES BUILDING 2401 NE MINNEHAHA STREET	6742	
City: Vancouver	State: WA	Zip :98662 98663
Email Address (optional):		
Contact Name (if different from above): Pacific Groundwater Group Att: Jill Van Hulle	Phone No: 360 413-1510	Other No:
Relationship to Applicant: Consultant		
Address: 3130 60 th Loop SE		
City: Olympia	State: WA	Zip: 98501
Email Address (optional): Jill@pgwg.com		
Legal Land Owner or Part Owner Name of the Proposed Place of Use: Bonneville Power Administration	Phone No:	Other No:
Address: Same		
City:	State:	Zip:
Email Address (optional):		

Section 2. STATEMENT OF INTENT						
Do you own the land on which the If no, do you have legal authority						
Briefly describe the purpose of yo	ur proposed project:					
Develop an open-loop groundwat	er heat-pump system. A	All water	will be returned to	o the source aquifer.		
Anticipated length of time to comp	plete your project:7/1/20	013				
Water Use List all purposes for w	hich water will be appli	ed to a be	eneficial use and	list quantity required for each.		
Purpose(s) of Use	Rate (check one box only Cubic Feet per Second (Classification of Classification).		Acre-Feet per Year (AF/YR) (If known)	Period of Use (Continuously or Seasonal)		
Heat exchange	200		tbd	Continuously		
	/					
TOTAL	200		4.3			
TOTAL:	200		tbd			
Is this request for a temporary per If yes to either question above, inc FROM:/TO: Section 3. POINT OF D (Complete A or B, and C below	licate the dates that the	WITHE	DRAWAL			
A.) If Surface Water Source		B.) If Ground Water Source				
Spring Creek River Lake Other:		Well(s) □ Other:				
Source Name:		Well diameter & depth: 8 inch; 300 feet				
Tributary to:		Number of proposed points of withdrawal: 2 extraction wells and 1 injection well				
Number of proposed diversion p Do you have an existing diversion			s another well on	g well? YES NO (but the site supplying potable		
		If avai	lable, attach Wat	er Well Report and pump test.		
		Well Tag ID No				

	arcel No.	-	1/4	1/4	Section	Township	Range	County
30	6165.9010	(NE NE	SW	16	26	43E	Spokane
	Lot(s)			Block	1000000		ubdivision	
	Loi(s)			DIOCK	(3)			
knowi	n, enter the	distanc	es in fe	et fron	n the poin	t of diversion	or withdrawa	l to the nearest section corner:
	Feet (N	Vorth/	South) and	fe	et (East/	West)	
rom the	e (LINW L	_lsw ∟	INE _	JSE [corner of Secti	on	
P	arcel No.		1/4	1/4	Section	Township	Range	County
	Lot(s)		Block(s)		Subdivision			
f language	n onto-4k	diator	or in f	ot fro	m the poi	t of diversion	or withdraw	al to the nearest section corner:
								in to the hearest section corner.
fe	et (Nor	th/ S	outh) a	nd	feet (East/ Wes	st)	
rom the	e (NW [□sw [NE [SE) co	rner of Section	1	
								on a separate sheet of paper.
IE. IJ	more inan i	vo points	oj aive	i StOM/W	viinarawal	инисп ааанноп	ы інзогтаноп	on a separate sneet of paper.
				1592				
Sectio	n 4. PL	ACE		CE				
			OI C	DL				
tach a	copy of th	e legal	descrip	tion o				will be used) taken from a real
ttach a	copy of th	e legal	descrip	tion o				will be used) taken from a real y in the space below.
tach a	copy of th	e legal operty d	descrip	tion o	nsurance	policy, or cop	y it carefull	y in the space below.
tach a	copy of the	e legal operty d	descrip eed or	tion o	nsurance F SEC TH I	policy, or cop	y it carefull SEC 4834FT T	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6
tach a tate con 26-43 AL	copy of the ntract, pro	ne legal operty d EXC BEG OF GRA	descrip eed or AT NW /ES RD	otion of title i	F SEC THE	policy, or cope E ALG N LN OF S ALG SD NLY LN	y it carefull SEC 4834FT TI 478.5FT TH C	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 ON CURVE TO LEFT WITH RAD
tach a tate con 26-43 AL	copy of the ntract, pro	ne legal operty d EXC BEG OF GRA	descrip eed or AT NW /ES RD	otion of title i	F SEC THE	policy, or cope E ALG N LN OF S ALG SD NLY LN	y it carefull SEC 4834FT TI 478.5FT TH C	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 ON CURVE TO LEFT WITH RAD
tach a tate con 26-43 AL	copy of the ntract, pro	perty de EXC BEG OF GRA	lescrip eed or AT NW /ES RD	cor o CHG #	nsurance F SEC TH E 1782 TH E EC T H S A	policy, or cope EALG N LN OF S ALG SD NLY LN LG SD E LN 87.	y it carefull SEC 4834FT TI 478.5FT TH C	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6
tach a tate con 26-43 AL 924.9FT	copy of the ntract, pro	perty de EXC BEG OF GRA 224.6FT	lescripeed or AT NW /ES RD TO E LI	otion of title i	F SEC THE 1782 THE ECTHSA HN89DEG	policy, or cope E ALG N LN OF S ALG SD NLY LN LG SD E LN 87. 46MIN W3098FT	SEC 4834FT TO 478.5FT TH C FT TO SLY LN TO W LN OF	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN
tach a tate con 26-43 AL 924.9FT	COPY OF the ntract, product of SEC E NLY LN T A DIST OF SEC E SEC	perty de EXC BEG OF GRA 224.6FT 0DEG 14	descripeed or AT NW /ES RD TO E LI MIN W19	cor o chg # N OF S	F SEC THE T782 THE ECTHS A H N89DEG TO ESMT	policy, or cope E ALG N LN OF S ALG SD NLY LN LG SD E LN 87. 46MIN W3098FT	SEC 4834FT TO 478.5FT TH CO FT TO SLY LN TO W LN OF LANT CORP E	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN
26-43 AL 924.9FT	COPY OF the Intract, product of SEC ENLY LN TADIST OF SEC ENCY COPOB & EXECUTED TO POB & EXECUTED TO POBB & EXECUTED	De legal operty de XC BEG OF GRA 224.6FT ODEG 14 XC WWP RW & E	eed or AT NW /ES RD TO E LI MIN W1! CO R/M	cor o chg # N of Si 90FT Ti / SUBJ	F SEC THE T782 THE EC THS A H N89DEG TO ESMT	POLICY, OF COLUMN OF SEALG NEW LINES OF EACH STATE OF THE POLICE OF THE	SEC 4834FT TO 478.5FT TH CO FT TO SLY LN TO W LN OF LANT CORP ES	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 21726 SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY OR OF SECT 16 TH S00°10'27"W
26-43 AL 924.9FT	COPY OF the ntract, pro	operty de EXC BEG OF GRA 224.6FT ODEG 14 XC WWP R/W & E	descripeed or AT NW VES RD TO E LI MIN W19 CO R/M CC RR F	cor o title i cor o chg # N OF SI 90FT TH	F SEC THE TABLE THE SEC THE ECTHS A H N89DEG TO ESMT G W/ PTN I S52°49'18"	POLICY, OF COLOR E ALG N LN OF SALG SD NLY LN LG SD E LN 87. 46MIN W3098FT TO DEFENSE PR DAF: COMMENCE E 1102.21FT TH	SEC 4834FT THE 478.5FT THE CONTROL OF LANT CORP ENDING AT NW COSSO 15'24"E 2	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 IN CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 21726 SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY OR OF SECT 16 TH S00°10'27"W 202.81FT TO TRUE POB ALSO SLY PT O
tach a tate con 26-43 AL 924.9FT	COPY OF the ntract, pro	operty de EXC BEG OF GRA 224.6FT ODEG 14 XC WWP R/W & E	descripeed or AT NW VES RD TO E LI MIN W19 CO R/M CC RR F	cor o title i cor o chg # N OF SI 90FT TH	F SEC THE TABLE THE SEC THE ECTHS A H N89DEG TO ESMT G W/ PTN I S52°49'18"	POLICY, OF COLOR E ALG N LN OF SALG SD NLY LN LG SD E LN 87. 46MIN W3098FT TO DEFENSE PR DAF: COMMENCE E 1102.21FT TH	SEC 4834FT THE 478.5FT THE CONTROL OF LANT CORP ENDING AT NW COSSO 15'24"E 2	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY
etach a tate con 26-43 AL 924.9FT 6.10FT T	COPY OF the ntract, pro	DEG 14 CONTROL	descripeed or AT NW VES RD TO E LI MIN W19 CO R/M KC RR F 1651.20 E RD R	COR O CHG # N OF SI 90FT TI / SUBJ R/W TO OFT TH	F SEC THE 1782 THE EC THS A H N89DEG TO ESMT G W/ PTN I S52°49'18"	POLICY, OF COMPANY OF SALG SD NLY LN LG SD E LN 87. 46MIN W3098FT TO DEFENSE PRODAF: COMMENCE E 1102.21FT TH	SEC 4834FT TO 478.5FT TH COUNTY TO W LN OF LANT CORP EN CORP E	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY OR OF SECT 16 TH S00°10'27"W 202.81FT TO TRUE POB ALSO SLY PT O
etach a tate con 26-43 AL 924.9FT 6.10FT T	COPY OF the ntract, pro	DEG 14 CONTROL	descripeed or AT NW /ES RD TO E LI MIN W1! CO R/M KC RR F 1651.20 E RD R	COR O CHG # N OF SI 90FT TH OW LN	F SEC THE TABLE TO ESMT G W/ PTN I S52°49'18" TH S89°15	POLICY, OF COMPANY OF SALG SD NLY LN LG SD E LN 87. 46MIN W3098FT TO DEFENSE PRODAF: COMMENCE E 1102.21FT TH	SEC 4834FT TO 478.5FT TH COME TO SLY LINE TO WILL OF LANT CORP EN S89°15'24"E 20 TH N00°45'39 ANGENT CUR	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY OR OF SECT 16 TH S00°10'27"W 202.81FT TO TRUE POB ALSO SLY PT O O"E 189.94FT TO SLY ROW TO LEFT WITH RADIUS 1879.86FT THR
26-43 AL 924.9FT 3.10FT T	COPY OF the ntract, pro	DEG 14 CONTROL	eed or AT NW VES RD TO E LI MIN W1! CO R/M KC RR F 1651.20 E RD R	COR O CHG # N OF SI 90FT TH OW LN	F SEC THE TABLE TO ESMT G W/ PTN I S52°49'18" TH S89°15	POLICY, OF COLUMN OF SALG SD NLY LN LG SD E LN 87. 46MIN W3098F TO DEFENSE PL DAF: COMMENCE 1102.21FT TH 124"E 2014.17F1 ROW LN ALG T	SEC 4834FT TO 478.5FT TH COME TO SLY LINE TO WILL OF LANT CORP EN S89°15'24"E 20 TH N00°45'39 ANGENT CUR	y in the space below. H S1838.3FT TH S45DEG 14MIN W353.6 N CURVE TO LEFT WITH RAD N OF SD RD TH W ALG SD SLY LN 2172F SEC TH N ALG SD W LN SMTS & EXC P TN LYG SWLY OF NELY OR OF SECT 16 TH S00°10'27"W 202.81FT TO TRUE POB ALSO SLY PT O O"E 189.94FT TO SLY ROW TO LEFT WITH RADIUS 1879.86FT THR

Are there any other water rights or claims associated	with this property or water system? YES NO			
f yes, provide the water right and/or claim numbers:				
Attach a map of your project showing the point property, be sure to include a complete copy of	nt of diversion/withdrawal and place of use. If platted of the plat map.			
Section 5. WATER SYSTEM DESCRI	PTION			
Describe your proposed water system (include type a source):	and size of devices used to divert or withdraw water from			
We will construct a groundwater heat-pump system to	hat uses two extraction well and one injection well. All water			
hat is withdrawn will be returned to the source aquif	er.			
Section 6. DOMESTIC WATER SUP	PLY SYSTEM INFORMATION			
(Complete A or B, and C below)	TEL SIBIEM IN ORIVINITION			
(Complete A or D, and C below)				
A.) Domestic Water Systems only	B.) Municipal Water Systems only (defined under RCW 90.03.015)			
Projected number of connections to be served:	Present population to be served water:			
Type of connections:	Estimate future population to be served:(20 year projection)			
C.) Water System Planning				
Do you have a Water System Plan approved by the Division? YES NO	Washington State Department of Health, Drinking Water			
If yes, date plan was approved//	Water System Number:			
Name of water system:				
Are you within the service area of an existing water	system? XES NO			
If yes, explain why you are unable to connect to the	e system:			
The proposed use is for non-contact heat exchange.				

Irrigation Total number of acres requested to be irrigated under this application = _____ACRES *NOTE:* Outline the area to be irrigated on your attached map. Stockwater List number and kind of stock: NA Is the proposed project for a dairy farm? YES NO **Other Proposed Farm Uses** Describe all proposed uses: NA Family Farm Water Act (RCW 90.66): Calculate the acreage in which you have a controlling interest, including only: • Acreage irrigated under water rights acquired after December 8, 1977, • Acreage proposed to be irrigated under this application, and Acreage proposed to be irrigated under other pending application(s). Is the combined acreage under existing rights greater than 6000 acres? \(\subseteq\) YES \(\subseteq\) NO Do you have a controlling interest in a Family Farm Development Permit? YES NO If yes, enter Permit No: Section 8. OTHER WATER USES **Hydropower** Indicate total feet of head _____ and proposed capacity in kilowatts:___ Describe works: Indicate all uses to which power is to be applied: FERC License No:

Section 7. IRRIGATION/STOCKWATER/OTHER FARM USES

Describe use, method o	f supplying and using water:
Other Use	
HVAC system	
Section 9. WAT	TED STODACE
Section 9. WA1	EKSTORAGE
Will you be using a dar	m, dike, or other structure to retain or store water? YES NO
Are you proposing to st	tore more than 10 acre-feet of water? TYES NO
Will the water depth be	e 10 feet or more? YES NO
If you answered yes to	any of the above questions, please describe:
and some portion of the s Reservoir and a Dam Con	ing 10 acre-feet or more of water and/or if the water depth will be 10 feet or more at the deepest po torage will be above grade, you must also complete an Application for Permit to Construct a nstruction Permit and Application.
and some portion of the s Reservoir and a Dam Con	torage will be above grade, you must also complete an Application for Permit to Construct a
and some portion of the sa Reservoir and a Dam Con Section 10. DRI	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application. [VING DIRECTIONS]
and some portion of the sage Reservoir and a Dam Con Section 10. DRI Provide detailed driving	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application.
and some portion of the single Reservoir and a Dam Conservoir and a Dam	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application. WING DIRECTIONS g directions to the project site:
and some portion of the standard Reservoir and a Dam Con Section 10. DRI Provide detailed driving Head east on W. Spragonto E. 1st Ave, then tu	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application. [VING DIRECTIONS] g directions to the project site: ue Ave. towards S. Division Street/US-2, turn right onto S. Pine Street and take the 1 st right right onto S. Division/US-2 for about 6 miles, take the slight right onto US-2/Newport
and some portion of the state Reservoir and a Dam Con Section 10. DRI Provide detailed driving Head east on W. Sprage	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application. [VING DIRECTIONS] g directions to the project site: ue Ave. towards S. Division Street/US-2, turn right onto S. Pine Street and take the 1 st right right onto S. Division/US-2 for about 6 miles, take the slight right onto US-2/Newport
and some portion of the standard and some portion of the standard and a Dam Con Section 10. DRI Provide detailed driving Head east on W. Spragonto E. 1st Ave, then tu	torage will be above grade, you must also complete an Application for Permit to Construct a instruction Permit and Application. [VING DIRECTIONS] g directions to the project site: ue Ave. towards S. Division Street/US-2, turn right onto S. Pine Street and take the 1 st right right onto S. Division/US-2 for about 6 miles, take the slight right onto US-2/Newport

Section 11. REQUIRED SIGNATURES

I certify that the information provided in this application is true and accurate to the best of my knowledge. I understand that in order to process my application, I grant staff from the Department of Ecology access to the site for inspection and monitoring purposes. Even though the employees of the Department of Ecology may have assisted me in the preparation of the above application, all responsibility for the accuracy of the information rests with me, the applicant.

Print Name (Applicant or authorized representation) Print Name (Legal Owner or Part Owner Place)	Signature Bohin	05/30/13 Date 05/30/14 Date
Print Name (Legal Owner or Part Owner Place		Date which the project is located:
*Submit your application to: DEPARTMENT OF ECOLOGY CASHIERING SECTION PO BOX 47611	Central Regional Office 15 W Yakima Avenue, Suite 200 Yakima, WA 98902 (509) 575-2490	Eastern Regional Office 4601 N. Monroe Spokane, WA 99205-1295 (509) 329-3400
OLYMPIA, WA 98504-7611	Northwest Regional Office 3190 – 160 th Avenue SE Bellevue, WA 98008-5452 (425) 649-7000	Southwest Regional Office PO Box 47775 Olympia, WA 98504-7775 (360) 407-6300

If you need this document in an alternate format, please call the Water Resources Program at 360-407-6872. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

If you have questions about your application, contact the Water Resources program at the regional office in which your project is located.

